UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/573,419	02/02/2007	Jay-Yeob Hwang	HWAN3049/REF	2797
23364 7590 05/07/2010 BACON & THOMAS, PLLC			EXAMINER	
625 SLATERS FOURTH FLO	LANE	TOLENTINO, RODERICK		
	A, VA 22314-1176		ART UNIT	PAPER NUMBER
			2439	·
			MAIL DATE	DELIVERY MODE
			05/07/2010	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)					
Office Action Comments	10/573,419	HWANG ET AL.					
Office Action Summary	Examiner	Art Unit					
	Roderick Tolentino	2439					
The MAILING DATE of this communication apperiod for Reply	pears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)⊠ Responsive to communication(s) filed on <u>15 J</u>	une 2009						
<del>'=</del>	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4)⊠ Claim(s) <u>21-50</u> is/are pending in the application	4)⊠ Claim(s) <u>21-50</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>21-50</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/o	8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>27 <i>March</i> 2006</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 6/15/2009, 3/27/2006.	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	ate					

Application/Control Number: 10/573,419 Page 2

Art Unit: 2439

### **DETAILED ACTION**

1. Claims 21 – 50 are pending.

## Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 21, 22, 26 37, 39, 40 and 43 50 are rejected under 35 U.S.C. 102(e) as being anticipated by Mizoguchi et al. U.S. PG-Publication No. (2004/0030934).
- 4. As per claim 21, Mizoguchi discloses generating at the server an image table in which two or more key images and other images that are previously designated on a user basis are randomly mixed and transmitting the image table to a screen of the user's terminal (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment) and if the key images are validly selected and inputted from the terminal, approving authentication of the user at the server, wherein the procedure of selecting the key images is not displayed on the image table in the screen of the terminal (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment).

Application/Control Number: 10/573,419

Art Unit: 2439

5. As per claim 22, Mizoguchi discloses generating and outputting at the lock device an image table in which two or more key images and other images that are previously designated are randomly mixed (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment) and if the key images are validly selected and inputted from an input unit, approving authentication of the user and releasing the locking state at the lock device, wherein the procedure of selecting the key images is not displayed on the image table in the screen of the lock device (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment).

Page 3

- 6. As per claims 26 and 43, Mizoguchi discloses the image table provided by the attempt of authentication of the user is different from an image table provided by the previous attempt of authentication (Mizoguchi, Paragraph 0038, different types of imagaes).
- 7. As per claim 27, Mizoguchi discloses the image table provided by the attempt of authentication of the user is different from an image table provided by the previous attempt of authentication (Mizoguchi, Paragraph 0038, different types of imagaes).
- 8. As per claims 28 and 44, Mizoguchi discloses start coordinates (initially inputted key image coordinates) at said step (b) are previously designated as one of the key images (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment).
- 9. As per claims 29 and 45, Mizoguchi discloses start coordinates (initially inputted key image coordinates) at said step (b) are previously designated as one of the key

Art Unit: 2439

images (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment).

- 10. As per claims 30 and 46, Mizoguchi discloses the authentication approval at said step (b) is made in such a way that the corresponding key images are sequentially inputted by movement of coordinates in the image table based on a predetermined input sequence of the key images (Mizoguchi, Paragraph 0038, different types of imagaes).
- 11. As per claims 31 and 47, Mizoguchi discloses the authentication approval at said step (b) is made in such a way that the corresponding key images are sequentially inputted by movement of coordinates in the image table based on a predetermined input sequence of the key images (Mizoguchi, Paragraph 0038, different types of images).
- 12. As per claims 32 and 48, Mizoguchi discloses start coordinates (initially inputted key image coordinates) at said step (b) are designated as coordinates of a first key image of the key images (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment).
- 13. As per claim 33, Mizoguchi discloses start coordinates (initially inputted key image coordinates) at said step (b) are designated as coordinates of a first key image of the key images (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment).
- 14. As per claims 34 and 49, Mizoguchi discloses before said step (a), the server constructs and registers a personalization image table which is formed by selecting the key image and other images constituting the image table individually on a user basis

(Mizoguchi, Paragraph 0013 and 0023, images used as a password to gain access to a secure environment and works with a server).

- 15. As per claims 35 and 50, Mizoguchi discloses before said step (a), the lock device constructs and registers a personalization image table which is formed by selecting the key image and other images constituting the image table individually on a user basis (Mizoguchi, Paragraph 0013 and 0023, images used as a password to gain access to a secure environment and works with a server).
- 16. As per claim 36, Mizoguchi discloses when the user selects the key images, and a passage coordinate image or a terminal coordinate image, the server constructs the personalization image table by randomly extracting from remaining images excepting the selected images (Mizoguchi, Paragraph 0038, different types of images).
- 17. As per claim 37, Mizoguchi discloses, when the user selects the key images, and a passage coordinate image or a terminal coordinate image, the lock device constructs the personalization image table by randomly extracting from remaining images excepting the selected images (Mizoguchi, Paragraph 0038, different types of images).
- 18. As per claim 39, Mizoguchi discloses generating at the server an image table in which two or more key images and other images that are previously designated on a user basis are randomly mixed and transmitting the image table to a screen of the user's terminal (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment) and if the key images are validly selected and inputted from the terminal, approving authentication of the user at the server, wherein the procedure

Art Unit: 2439

of selecting the key images is not displayed on the image table in the screen of the terminal (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment).

19. As per claim 40, Mizoguchi discloses generating and outputting at the lock device an image table in which two or more key images and other images that are previously designated are randomly mixed (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment) and if the key images are validly selected and inputted from an input unit, approving authentication of the user and releasing the locking state at the lock device, wherein the procedure of selecting the key images is not displayed on the image table in the screen of the lock device (Mizoguchi, Paragraph 0013, images used as a password to gain access to a secure environment).

### Claim Rejections - 35 USC § 103

- 20. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 21. Claims 23 25, 41 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mizoguchi et al. U.S. PG-Publication No. (2004/0030934) in view of Lee et al. U.S. PG-Publication No. (2004/0185869).

Application/Control Number: 10/573,419

Art Unit: 2439

22. As per claims 23 and 41, Mizoguchi fails to teach before said step (a), an access location tracking step (c) in which a program that performs a function of tracking an access location of the terminal on-line is automatically installed and executed in the terminal from the server connected to the terminal, and access location information of the terminal is sent and stored in the server. However, in an analogous art Lee before said step (a), an access location tracking step (c) in which a program that performs a function of tracking an access location of the terminal on-line is automatically installed and executed in the terminal from the server connected to the terminal, and access location information of the terminal is sent and stored in the server (Lee, Paragraph 0024, locating mobile terminals obtaining access).

Page 7

At the time the invention was made it would have been obvious to a person of ordinary skill in the art to use Lee's Method for tracking location of subscribers in mobile communication network with Mizoguchi's user selectable authentication interface and universal password because it offers the advantage of continuously tracking the location of a subscriber in a network (Lee, Paragraph 0007).

23. As per claims 24 and 42, Mizoguchi as modified teaches the step (d) of reporting access location information on online of another person acquired through the step (c) to the user when another person proceeds with the step (b) by using the authentication information of the user in a state that the authentication of the user is approved at the server and being connected (Lee, Paragraph 0031, authenticates terminal).

Application/Control Number: 10/573,419 Page 8

Art Unit: 2439

24. As per claim 25, Mizoguchi as modified teaches after the step (b), the step (e) of reporting the latest access location information to the user's terminal (Lee, Paragraph 0024, locating mobile terminals obtaining access).

- 25. Claim 38 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mizoguchi et al. U.S. PG-Publication No. (2004/0030934) in view of Browne U.S. PG-Publication No. (20040153665).
- 26. As per claim 38, Mizoguchi fails to teach the server acquires IP information of a terminal accessed prior to said step (b), and notifies, if the key images of the user are not validly inputted from said step (b), an alarm message including the IP information to the user. However, in an analogous art Browne teaches the server acquires IP information of a terminal accessed prior to said step (b), and notifies, if the key images of the user are not validly inputted from said step (b), an alarm message including the IP information to the user (Browne, 0031, alert message contains IP address of attacking computer).

At the time the invention was made it would have been obvious to a person of ordinary skill in the art to use Browne's wireless network control and protection system with Mizoguchi's user selectable authentication interface and universal password because it offers the advantage of providing more than a single level of security to make the network more secure (Browne, Paragraph 0006).

#### Conclusion

Application/Control Number: 10/573,419

Art Unit: 2439

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Roderick Tolentino whose telephone number is (571) 272-2661. The examiner can normally be reached on Monday - Friday 9am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edan Orgad can be reached on (571) 272-3811. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Roderick Tolentino Examiner Art Unit 2439 Page 9

/R. T./ Examiner, Art Unit 2439

> /Edan Orgad/ Supervisory Patent Examiner, Art Unit 2439